

	区分		ランプ	アーム仕様 長さ / 角度	照明器具	安定器	電圧	認可番号
	小型※1	大型						
1	小型-030		CM70FE-W/BH CM70FE-W	1000(800)以内 5° ~20°	SMR14976-00 SMR14976-03 SMR15044-00 SMR15044-01 SMR15044-03 SMR15044-04 SMR15070-00 SMR15070-01 SMR15070-02 SMR15072-00 SMR15072-01 SMR15400-00 SMR15400-01	照明器具内蔵	100V	C08-32
2	小型-018		CM110F-LR-WW/BH CMT110-LR-WW/BH	430 ,15°	MR-242T MR-242T-CC MR-242T-3 MR-242T-5 MR-242T-6 MR-242T-7 MR-242T-8 MR-242T-10	HC-125C-F(1)	200V	C08-04
3	小型-021		CM110F-LR-WW/BH CMT110-LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-125C-F1	200V	C08-33
4	小型-025		CM110F-LR-WW/BH	470, 5~20°	MR-330TB	HC-125C-F1	200V	C08-44
5	小型-022		CMT150-LE-W/BH CM150F-LE-W/BH CMT150-L-LW/BH CM150F-L-LW/BH CMT150-LR-WW/BH CM150F-LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	CMC-150LC-F1	200V	C08-34
6	小型-029		CM150F-LE-W/BH CM150F-L-LW/BH CM150F-LR-WW/BH	430 ,5~20°	MR-242T	CMC-150LC-F(1)	200V	C08-48
7	小型-026		CM150F-LE-W/BH CM150F-L-LW/BH CM150F-LR-WW/BH CM150F-LR-WW/BH-4	470, 5~20°	MR-330TB	CMC-150LC-F1	200V	C08-45
8	小型-020		CMT190-LE-W/BH CM190F-LE-W/BH CMT190-L-LW/BH CM190F-L-LW/BH CMT190-LR-WW/BH CM190F-LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-201C-F(1)	200V	C08-09
9	小型-027		CM190F-LE-W/BH CM190F-LE-W/BH-4 CM190F-L-LW/BH CM190F-L-LW/BH-4 CM190F-LR-WW/BH CM190F-LR-WW/BH-4	470, 5~20°	MR-330TB	HC-201C-F1	200V	C08-46
10	小型-023		CMT220-LE-W/BH CM220F-LE-W/BH CMT220-L-LW/BH CM220F-L-LW/BH CMT220-LR-WW/BH CM220F-LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-251C-F1	200V	C08-35
11	小型-028		CM220F-LE-W/BH CM220F-LE-W/BH-4 CM220F-L-LW/BH CM220F-L-LW/BH-4 CM220F-LR-WW/BH CM220F-LR-WW/BH-4	470, 5~20°	MR-330TB	HC-251C-F1	200V	C08-47
12		大型-028	CM110F-LR-WW/BH CMT110-LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-125C-F1	200V	C08-24
13		大型-031	CM110F-LR-WW/BH CMT110-LR-WW/BH	1800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-125C-F(1)	200V	C08-11

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。

	区分		ランプ	アーム仕様 長さ / 角度	照明器具	安定器	電圧	認可番号
	小型※1	大型						
14		大型-032	CM110F・LR-WW/BH	1800, 5~15°	KSC-4 (MR-340T)	HC-125C-F1	200V	C08-12
15		大型-035	CM110F・LR-WW/BH	800, 5~15°	KSC-4 (MR-340T)	HC-125C-F	200V	C08-38
16		大型-040	CM110F・LR-WW/BH	2100, 5~15°	KSC-4 (MR-340T)	HC-125C-F1	200V	C08-16
17		大型-044	CM110F・LR-WW/BH	1800, 5~15°	MR-330TB	HC-125C-F1	200V	C08-20
18		大型-048	CM110F・LR-WW/BH	1800, 5~15°	MR-242T	HC-125C-F(1)	200V	C08-41
19		大型-051	CM110F・LR-WW/BH CMT110・LR-WW/BH	2100, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-125C-F1	200V	C08-28
20		大型-024	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	1800, 5°	MR3800(U) MR3801(U) MR3802(U) MR3805(U)	CMC-150LC-F(1)	200V	C08-06
21		大型-029	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	CMC-150LC-F1	200V	C08-25
22		大型-033	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	1800, 5~15°	KSC-4 (MR-340T)	CMC-150LC-F1	200V	C08-13
23		大型-036	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	800, 5~15°	KSC-4 (MR-340T)	CMC-150LC-F1	200V	C08-39
24		大型-041	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	2100, 5~15°	KSC-4 (MR-340T)	CMC-150LC-F1	200V	C08-17
25		大型-045	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	1800, 5~15°	MR-330TB	CMC-150LC-F1	200V	C08-21
26		大型-049	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH	1800, 5~15°	MR-242T	CMC-150LC-F(1)	200V	C08-42
27		大型-052	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	2100, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	CMC-150LC-F1	200V	C08-29
28		大型-055	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	1250, 5~15°	MR-330TB	CMC-150LC-F	200	C08-36
29		大型-056	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	1250, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	CMC-150LC-F	200	C08-37
30		大型-022	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	800, 5°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-201C-F(1)	200V	C08-08
31		大型-025	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	1800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-201C-F(1)	200V	C08-10
32		大型-034	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	1800, 5~15°	KSC-4 (MR-340T)	HC-201C-F1	200V	C08-14

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。

	区分		ランプ	アーム仕様	照明器具	安定器	電圧	認可番号
	小型※1	大型		長さ / 角度				
33		大型-037	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	800, 5~15°	KSC-4 (MR-340T)	HC-201C-F1	200V	C08-40
34		大型-042	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	2100, 5~15°	KSC-4 (MR-340T)	HC-201C-F1	200V	C08-18
35		大型-046	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	1800, 5~15°	MR-330TB	HC-201C-F1	200V	C08-22
36		大型-050	CM190F・LE-W/BH CM190F・L-LW/BH CM190F・LR-WW/BH	1800, 5~15°	MR-242T	HC-201C-F(1)	200V	C08-43
37		大型-053	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	2100, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-201C-F1	200V	C08-30
38		大型-023	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-251C-F1	200V	C08-26
39		大型-026	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	1800, 5°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-251C-F(1)	200V	C08-07
40		大型-027	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	1800, 5~15°	KSC-4 (MR-340T)	HC-251C-F1	200V	C08-15
41		大型-043	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	2100, 5~15°	KSC-4 (MR-340T)	HC-251C-F1	200V	C08-19
42		大型-047	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	1800, 5~15°	MR-330TB	HC-251C-F1	200V	C08-23
43		大型-054	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	2100, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-251C-F1	200V	C08-31
44		大型-030	CMT270・LE-W/BH CM270F・LE-W/BH CMT270・L-LW/BH CM270F・L-LW/BH CMT270・LR-WW/BH CM270F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3805(U) MR3807(U)	HC-301C-F	200V	C08-27
45	小型-031		CM110F・LR-WW/BH CMT110・LR-WW/BH	350 5° ~20°	MR3803(U)	HC-125C-F1	200V	C09-01
46	小型-032		CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	350 5° ~20°	MR3803(U)	CMC-150LC-F1	200V	C09-02

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。

	区分		ランプ	アーム仕様	照明器具	安定器	電圧	認可番号
	小型※1	大型		長さ / 角度				
47	小型-033		CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	350 5° ~20°	MR3803(U)	HC-201C-F(1)	200V	C09-03
48	小型-034		CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	350 5° ~20°	MR3803(U)	HC-251C-F1	200V	C09-04
49	小型-035		CM110F・LR-WW/BH	1000(800)以内 5° ~20°	SMR15447-※※	照明器具内蔵	200V	C09-05
50	小型-036		CM34FE-W	1000(800)以内 5° ~20°	SMR15461-00 SMR15462-00	照明器具内蔵	100V	C09-06
51	小型-037		CM70FE-W	1000以内 5° ~20°	MR1711A-12 MR1721A-13 MR1731A-01	照明器具内蔵	200V	C09-07
52	小型-038		CM70FE-W	1000以内 5° ~20°	MR1712A-01 MR1722A-04 MR1732A-01	照明器具内蔵	200V	C09-08
53	小型-039		CM70FE-W	1000以内 5° ~20°	MR1713A-02 MR1723A-02 MR1733A-02	照明器具内蔵	200V	C09-09
54		大型-057	CM110F・LR-WW/BH	1350, 5~15°	MR-330TB	HC-125C-F1	200V	C09-10
55		大型-058	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	1350, 5~15°	MR-330TB	CMC-150LC-F1	200V	C09-11
56		大型-059	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	1350, 5~15°	MR-330TB	HC-201C-F1	200V	C09-12
57		大型-060	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	1350, 5~15°	MR-330TB	HC-251C-F1	200V	C09-13
58	小型-040		CM34FE-W	400, 15°	ED-41	照明器具内蔵	100V	C09-14
59		大型-061	CM34FE-W	800, 15°	ED-41	照明器具内蔵	100V	C09-15
60	小型-041		CM110F・LR-WW/BH	360, 20°	MR-330TB	HC-125C-F1	200V	C09-16
61		大型-062	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	1500, 15°	MR-330TB	CMC-150LC-F1	200V	C09-17
62		大型-063	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	1620, 15°	KSC-4 (MR-340T)	HC-201C-F1	200V	C09-18
63		大型-066	CM110F・LR-WW/BH CMT110・LR-WW/BH	1800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-125C-F1	100V	C10-06
64		大型-067	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	1800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	CMT-150LC-F1	100V	C10-07
65		大型-068	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	1800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-200C-F1	100V	C10-08

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。

	区分		ランプ	アーム仕様	照明器具	安定器	電圧	認可番号
	小型※1	大型		長さ / 角度				
66		大型-069	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	1800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-250C-F1	100V	C10-09
67		大型-070	CM110F・LR-WW/BH	800, 5~15°	MR-330TB	HT-125C-F1	100V	C10-15
68		大型-071	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	800, 5~15°	MR-330TB	CMT-150LC-F1	100V	C10-16
69		大型-072	CM190F・LE-W/BH CM190F・L-LW/BH-4 CM190F・L-LW/BH CM190F・LR-WW/BH CM190F・LR-WW/BH-4	800, 5~15°	MR-330TB	HT-200C-F1	100V	C10-17
70		大型-073	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	800, 5~15°	MR-330TB	HT-250C-F1	100V	C10-18
71	小型-042		CMT110・LR-WW/BH CM110F・LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-125C-F1	100V	C10-10
72	小型-043		CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	CMT-150LC-F1	100V	C10-11
73	小型-044		CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-200C-F1	100V	C10-12
74	小型-045		CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	350 5° ~20°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-250C-F1	100V	C10-13
75	小型-046		CM110F・LR-WW/BH	1000(800)以内 5° ~20°	MRB-245T	照明器具内蔵	200V	C09-21
76		大型-077	CMT110・LR-WW/BH CM110F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-125C-F1	100V	C11-01
77		大型-078	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	CMT-150LC-F1	100V	C11-02
78		大型-079	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-200C-F1	100V	C11-03
79		大型-080	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-250C-F1	100V	C11-04
80	小型-047		CM34FE-W/BH	270 5° ~20°	MRB-145T-CC MRB-145TS-CC	照明器具内蔵	100V	C10-04
81	小型-048		CM34FE-W/BH	400 5° ~20°	MRB-145T-CC MRB-145TS-CC	照明器具内蔵	100V	C10-05

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。

	区分		ランプ	アーム仕様	照明器具	安定器	電圧	認可番号
	小型※1	大型		長さ / 角度				
82	小型-049		CM110F・LR-WW/BH	470, 5~20°	MR-330TB	HT-125C-F1	100V	C10-14
83		大型-081	CMT110・LR-WW/BH CM110F・LR-WW/BH	380, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-125C-F1	100V	C11-05
84		大型-082	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	380, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	CMT-150LC-F1	100V	C11-06
85		大型-083	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	380, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-200C-F1	100V	C11-07
86		大型-084	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	380, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-250C-F1	100V	C11-08
87		大型-085	CM110F・LR-WW/BH	380, 5~15°	MR-330TB	HT-125C-F1	100V	C11-09
88		大型-086	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	380, 5~15°	MR-330TB	CMT-150LC-F1	100V	C11-10
89		大型-087	CM190F・LE-W/BH CM190F・LE-W/BH-4 CM190F・L-LW/BH CM190F・L-LW/BH-4 CM190F・LR-WW/BH CM190F・LR-WW/BH-4	380, 5~15°	MR-330TB	HT-200C-F1	100V	C11-11
90		大型-088	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	380, 5~15°	MR-330TB	HT-250C-F1	100V	C11-12
91		大型-089	CMT110・LR-WW/BH CM110F・LR-WW/BH	1300, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-125C-F1	100V	C11-13
92		大型-090	CMT150・LE-W/BH CM150F・LE-W/BH CMT150・L-LW/BH CM150F・L-LW/BH CMT150・LR-WW/BH CM150F・LR-WW/BH	1300, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	CMT-150LC-F1	100V	C11-14
93		大型-091	CMT190・LE-W/BH CM190F・LE-W/BH CMT190・L-LW/BH CM190F・L-LW/BH CMT190・LR-WW/BH CM190F・LR-WW/BH	1300, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-200C-F1	100V	C11-15
94		大型-092	CMT220・LE-W/BH CM220F・LE-W/BH CMT220・L-LW/BH CM220F・L-LW/BH CMT220・LR-WW/BH CM220F・LR-WW/BH	1300, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HT-250C-F1	100V	C11-16
95		大型-093	CM110F・LR-WW/BH	1300, 5~15°	MR-330TB	HT-125C-F1	100V	C11-17
96		大型-094	CM150F・LE-W/BH CM150F・L-LW/BH CM150F・LR-WW/BH CM150F・LR-WW/BH-4	1300, 5~15°	MR-330TB	CMT-150LC-F1	100V	C11-18
97		大型-095	CM220F・LE-W/BH CM220F・LE-W/BH-4 CM220F・L-LW/BH CM220F・L-LW/BH-4 CM220F・LR-WW/BH CM220F・LR-WW/BH-4	1300, 5~15°	MR-330TB	HT-250C-F1	100V	C11-19

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。

高圧ナトリウムランプ

	区分		ランプ	アーム仕様	照明器具	安定器	電圧	認可番号
	小形 ^{※1}	大形		長さ / 角度				
1	小形-009		NHT110LS NH110F.LS	350, 5°	MR3800(U) MR3801(U) MR3802(U)	HC-125C-F	200V	C06-13
2	小形-006		NHT180LS NH180F.LS	350, 5°	MR3800(U) MR3801(U) MR3802(U)	HC-201C-F	200V	C06-20
3	小形-011		NHT220LS NH220F.LS	350, 5°	MR3800(U) MR3801(U) MR3802(U)	HC-251C-F	200V	C06-12
4		大形-009	NHT110LS NH110F.LS	1800, 5°	MR3800(U) MR3801(U) MR3802(U)	HC-125C-F	200V	C06-16
5		大形-013	NHT180LS NH180F.LS	1800, 5°	MR3800(U) MR3801(U) MR3802(U)	HC-201C-F	200V	C06-21
6		大形-007	NHT220LS NH220F.LS	1800, 5°	MR3800(U) MR3801(U) MR3802(U)	HT-250C-F	100V	C06-14
7		大形-010	NHT220LS NH220F.LS	1800, 5°	MR3800(U) MR3801(U) MR3802(U)	HC-251C-F	200V	C06-17
8		大形-019	NHT220.LS NH 220F.LS	800, 5°	MR3800(U) MR3801(U) MR3802(U) MR3805(U)	HC-251C-F1	200V	C07-07
9		大形-064	NHT180LS NH180F.LS	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HC-201C-F1	200V	C09-19
10		大形-065	NHT110LS NH110F.LS	800, 5~15°	MR3800(U) MR3801(U) MR3802(U) MR3803(U) MR3805(U) MR3807(U)	HC-125C-F1	200V	C09-20
11		大型-074	NH110F.LS	1800, 5~15°	KSC-4	HC-125C-F1	200V	C10-01
12		大型-075	NH180F.LS	1800, 5~15°	KSC-4	HC-201C-F1	200V	C10-02
13		大型-076	NH 220F.LS	1800, 5~15°	KSC-4	HC-251C-F1	200V	C10-03

※1 小型区分は、出幅1,000mm以下とします。
出幅800mm以下については、弊社営業所まで
お問い合わせください。